


PeVino
THE ULTIMATE WINE COOLER

Wine Cooler

Instruction Manual

PN328MB-HHB-Hor



*Thank you for buying this PeVino wine cooler.
This product is used to chill wine.*



Content

Safety instructions & warnings	1-2
Installation	3
Description of the appliance	4-6
Operation	6-10
Troubleshooting	11
Maintenance and cleaning	12
Technical parameters	13

Safety instructions & warnings

Your safety is of the utmost importance to our company. Please make sure that you read this instruction booklet before attempting to install or use the appliance. If you are unsure of any of the information contained in this booklet, please contact the Technical Department.



- This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory, or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Children shall not play with the appliance. Cleaning and user maintenance shall not be made by children without supervision.
 - Children should be supervised to ensure that they do not play with the appliance.
 - This appliance is intended for HOUSEHOLD USE ONLY and not for commercial or industrial use.
 - Make sure that the appliance is connected to the power supply in accordance with the rating label.
 - Use an independent grounded socket with 10A or higher, do not connect to transformer or socket with multiple outlets.
 - Make sure the socket is grounded properly and do not modify power cord & plug.
 - For safety reasons and to ensure the optimum functionality of the wine cooler it's important that you connect your wine cooler using an earth/ground connection plug and keep the wine cooler perfectly plumb and level.
 - Connect power plug with socket firmly in case of possible risk of fire.
 - Plug should be within reach for easy disconnection after the appliance positioned in case of accidents occurring.
 - Do not store or burn gasoline or other flammables near the appliance in case of possible fire.
 - Do not store flammables, explosives, acid & alkaline liquids etc. in the compartment of the appliance.
 - Do not operate other appliances in the compartment.
- </

Child Safety

- Do not allow child play inside the appliance in case of entrapment.
- Do not allow child hang on the door to play in case of falling of the appliance.
- Do not allow child reach into compressor compartment or touch metal components at rear of the appliance in case of possible injury.

Keep away from water.

- Do not spray water on the appliance or wash the appliance by pouring or filling water in case of invalid insulation and possible electric shock.

Be careful of freezing.

- Do not touch surface of the liner inside the compartment, especially with wet hand, in case of frozen injury while the appliance is in operation.

Do not open the door for long periods

- Opening the door for long periods can cause a significant increase of the temperature in the compartments of the appliance.

Modification on the appliance not allowed

- Do not reconstruct the appliance by yourself which might cause damages to the appliance.

Unplug the appliance under certain conditions.

- Unplug the appliance before cleaning & maintenance.
- Unplug the appliance when power cut occurred.

Disposal of

Installation


Position

 Do not lean the appliance over 45° when moving it to position. do not use the package foam pad. DON'T PLACE A BUILT-IN WINE COOLER ON A HEATED SURFACE SUCH AS HEATED FLOORING, AS THIS WILL AFFECT THE COOLING FUNCTION.


-  Do not put the appliance in the wet place.
-  Do not use the appliance in the frozen place.
-  Do not use the appliance outdoor in case of sunlight or rain.

The appliance is designed to fully build into the cabinet.

Demonstration for building under the counter:




Description of the appliance




Reversing the door of wine cooler.

Our wine cooler is delivered with the door opening from left to right. To reverse the opening direction:

- ✧ Open the door at 135 degrees and keep it steady. (Be careful that the door is tall and heavy)



- ✧ Unscrew the four screws ② from the lower hinge ① [Figure 1].
- ✧ Pull the door outwards slowly [follow the arrowhead direction in Figure 1] to get off the lower hinge ① and continue to pull the door downwards slowly until getting off from the top right hinge and unscrew the two screws ④ to take off the lower hinge plate ⑤ from the door [Figure 2].
- ✧ Screw top right hinge ⑦ off from the cabinet and keep it in the polybag for needs if you



- ✧ Install to the left hinge ⑥ & the lower hinge ① to the left side of the cabinet. (⑥ is delivered in a separated poly bag inside the packing carton).[Figure 3]
- ✧ Fit the top door axis hole to the top left hinge ⑥ and put lower hinge plate ⑤ on the lower hinge ① and keep the door steady to screw the lower hinge plate ⑤ with the left bottom door frame. [Figure 4] Door reversing is finished.

Operation


Start operation

1. Cleaning the compartment

Before power on, clean inside of the appliance and check the drainage pipe in good connection. (For details,

Control panel

The actual temperature of the top area is displayed on the left screen (#1), The actual temperature of bottom area is displayed on the right screen (#2).



All keys would be invalid in lock mode. Please unlock first.

 **On/off** Keep pressing the key 3 seconds, power down, goes to stand-by mode. Keep pressing the key again for 3 seconds to return to normal working.

 **Light**


Press the key, turn on or turn off the LED lights inside. In stand-by mode, the key is invalid.

PN328MB-HHB:

Wine storage

PN328MB-HHB

- ✧ Each shelf is designed to put on 1 layer of wine bottles. More than 2 layers of bottle arrangement on one shelf are prohibited.
- ✧ 7 wooden shelves loading capacity:93 bottles.(Standrad Bordeaux with 750ml)



Technical Parameters

Product model	PN328MB-HHB-Hor
Voltage/ frequency	220-240V ~ /50Hz
Refrigerant/ weight	R600a/50g
Effective volume	335L
Loading capacity	93 bottles
Net weight	PENMDING
Unit dimension (WxDxH)	595×570×1770mm
Packing dimension (WxDxH)	660×625×1960mm


Remarks:

1. The net weight includes shelves, and the Unit dimension is without handle on the door.
2. The manufacturer reserves all the rights to change the above parameters without prior notice. Please refer to the nameplate of your appliance.
3. Loading capacity will vary in terms of different way of bottle arrangement or different bottle sizes (standard Bordeaux with 750ml is applied here).

Vinkøleskab

Betjeningsvejledning

PN328MB-HHB-Hor



***Tak for dit køb af dette PeVino vinkøleskab.
Dette produkt benyttes til at køle vin.***

Indhold

Sikkerhed og advarsler.....	1-2
Installation.....	3
Beskrivelse af apparatet.....	4-6
Betjening.....	6-10
Problemløsning.....	11
Vedligehold og rengøring.....	12
Tekniske specifikationer.....	13

