


Appliance Designation	Beverage Storage
GTIN	5061068710411
EEI Class	С
Rated EEI	109
Noise Level dB(A)	38dB
Noise Class	С
Rated annual energy consumption	219kWh/annum
Climate Class	ST - 18-38
Compressor	Inverter compressor
Refrigerant	R600A
Fan Assisted Cooling	Yes
Ventilation Required	Plinth ventilation essential
Temperature Range	2 to 14°C
Zone Type	1 zone
Defrosting Type	Manual
Installation	Undercounter
Door	Black glass Triple glazed (argon filled)
Door Handle	No, push2open mechanism
Door Open Direction	RH hinged
Reversible Door	Yes
Door-Open Alarm Function	Yes
Lock	No
Capacity (L)	51L
Standard Storage Quantity	48 X 330mL cans
Shelves	2 glass shelves
Shelf Type	Sliding only
Light	Smooth strip LED - 3000k (dimmable)
Auto. Lighting Function	Yes
Control	LED touch display
Control Display Colour	White
Charcoal Filter	Yes
Softclose	Yes
Heating Ability	No
Internal Humidity	55-85% - automatic
Vibration Free	Yes
Power Lead Length	1.5m
Adjustable Feet	Yes - 70mm
Warranty	3 years P & L

Body Dimension / Weight H818 x W295 x D563mm 34.1kg


Packing Dimension / Weight H945 x W455 x D710mm 41.8kg



ENERGY LABEL




BOTTLE LOADING



563

Volume: 51L BottlesCapacity:48x 330mL cans

INSTALLATION



PLEASE NOTE - DIMENSIONS CAN VARY BY +/- 2mm DUE TO MANUFACTURING TOLERANCES, ALL DIMENSIONS ARE MILLIMETRES (mm)

715

GIVEN IN